








BROWN PAPER DECORATIVE LAMINATES Weave your decor with these stunning laminate designs and see how it reverberates a chord of aesthetics and stylistic quotient of scintillating form. Curated with precision and perfection, this range creates a distinct appeal that's hard to resist. Dwell in opulence and luxury and feel elated with a great style ecstasy.

Color Psychology

THE ART OF COLOR

Enjoy the new you while complementing the interior layers with your personality.

Pick the best out of myriad range of plains and impress your residence.



















- SLATE -



redefine divine simplicity









8090 | A-213 NUTMEG





- SLATE -










9395 | A-204 SOFT BEIGE




4142 | A-204 CONCRETE











4702 | A-204 BEIGE MIST




8119 | A-204 ROSY PINK



- SLATE--





















BR 9895 | A-204 IVORY TEAK




9396 | A-204 GLOSSY GREY



- BARK -












8090 | A-203 NUTMEG






- BARK -

The form of finesse














bringing fresh décor ideas on surface





















explore our extensive laminate catalogue










4142 | A-193 CAPPUCCINO



ZERO WOOD















4137 | A-193 CHARCOAL GREY




回常器回 表 2 4145 | A-193 版 PISTA GREY



CRISS -











the authentic air of elegance



4137 | A-14 CHARCOAL GREY








CRISS CROSS










Magical Bohemian









4142 | A-14 CAPPUCCINO





- CRISS - CROSS






8089 A14







stylish laminates for extraordinary spaces





4139 | A-14 ASH GREY













8115 | A-199 PALE SAGE GREEN

8115 A 199









infuse your space with magic and elegance





8090 | A-199 NUTMEG

8090 A 199



4142 A 199





Authentic Innovative

8062 A 199




















1480 | A-199 CONCRETE



1481 | A-199 AGED CONCRETE


























- INDEX -

SR. NO.		design No.	finish no.	PAGE NO.
1	Р	1480	A 200	5
2		1480	A-199	30
3		1481	A-199	30
4	Р	4051	A-190	10
5	Р	4137	A 200	7
6		4137	A-193	18
7		4137	A-14	20
8		4137	A-199	32
9		4139	A-14	24
10		4142	A-193	16
11		4142	A-14	22
12		4142	A-199	27
13	Р	4145	A 200	2
14		4145	A-193	17
15		4145	A-14	19
16		4146	A-14	21
17	Р	4154	A 200	8
18		4154	A-193	14
19		4154	A-199	31
20	Р	4163	A-190	9
21	Р	4702	A 200	8

SR. NO.		DESIGN NO.	FINISH NO.	PAGE NO.
22		4702	A-193	16
23		4702	A-14	22
24		4702	A-199	25
25		4735	A-193	18
26		4735	A-199	31
27		8062	A-199	29
28		8089	A-14	23
29	Р	8090	A 200	4
30		8090	A-193	15
31		8090	A-199	28
32		8095	A-14	23
33	Р	8114	A 200	3
34		8114	A-199	32
35		8115	A-199	26
36	Р	9323	A-190	11
37	Р	9325	A-190	12
38	Р	9701	A 200	5
39	Р	9766	A 200	6
40	Р	9767	A 200	6
41		9877	A-199	29



Scan this QR code to download PDF on your

- TECHNICAL & SPECIFICATIONS -

PHYSICAL PROPERTIES	REQUIREMENT	TYPICAL VALUE	RESULT
Thickness	1.0MM	1.0MM	YES
Thickness Tolerance	+/-0.1	+/-0.1	YES
Squireness	0-6 MM	0-6MM	YES
Edge Squireness	1.5mm/Meter	1.0mm/Meter	YES
Flatness	+-120mm	+-60mm	YES
Light Resistance	Slight Effect	Slight Effect	YES
RESISTANCE TO STAINING			
Cleanability	Sum Of Score (20 Max)	16	YES
Stain (1-10)	No Effect	No Effect	YES
Stain (1-15)	Moderate Effect	Slight Effect	YES
Boiling Water Resistance	No Effect	No Effect	YES
High Temp Resistance	Slight Effect	Slight Effect	YES
Liner Glass Scratch Resistance	<20/50/100/200	<200	YES
Ball Impact Resistance	500mm	550mm	YES
Dart Impact Resistance	200mm	200mm	YES
Radiant Heat Res [Coil]	80 Sec	80 Sec	YES
Dimensional Change (Machine Direction)	0.70%(Max)	0.6%[Max]	YES
Dimensional Change (Cross Direction)	1.20%[Max]	1.00%[Max]	YES
ROOM TEMPERATURE			
Dimensional Stability (Machine Direction)	0.60%[Max]	0.5%[Max]	YES
Dimensional Stability (Cross Direction)	1.10%[Max]	0.95%[Max]	YES
Wear Resistance	400 Cycles (Min)	>400 Cycles (Min)	YES

WARRANTY

: 1220 mm x 2440 mm (4' X 8'), 1220 mm x 3050 mm (4' x 10') in selected texture.

GRADES & THICKNESS : A-190, A-200 Thickness 1.25mm. Other Thickness 1.0 mm."

SURFACE RESISTANCE TO : Artificial Perspiration, Citric Acid Solution, Coffee, Cooking Fat, Gasoline, ink, Rectified Spirit, Kerosene, Milk, Sodium Hydroxide Solution, Tea, Wax Crayon : Brown Paper warrants that its products are free from manufacturing defects and they are fit and suitable for usual purpose. The product must be inspected prior to installation and our liability will be limited to the cost of product only.



The Indian Green Building Council (IGBC), part of the Confederation of Indian Industry [CII] was formed in the year 2001. The vision of the council is, "To enable a sustainably built environment for all and facilitate India to be one of the global leaders in the sustainably built environment by 2025"



ISO 9001:2015 is an international standard related to quality management system, applicable to any organization from all types of business sectors and activities. ISO 9001:2015 is based on eight management principles (all fundamental to good business practice). When fully adopted, these principles can help improve your organizational performance.



BIS is the National Standard Body of India established under the BIS Act 1986 for the harmonious development of the activities of standardization, marking and quality certification of goods and for matters connected therewith or incidental thereto. BIS has been providing traceability and tangibility benefits to the national economy in a number of ways - providing safe reliable quality goods; minimizing health hazards to consumers; promoting exports and imports substitute; control over proliferation of varieties etc. through standardization, certification and testing.






The UL GREENGUARD Certification Program requires that products undergo independent, scientific testing and ongoing monitoring of their chemical emissions.[1] Only products that meet UL Environment's stringent emissions standards qualify for certification. These standards are based on established criteria from key public health agencies.



Keep out of sunlight







NO CLAIMS WILL BE CONSIDERED for cracking resulting from groove cutting for L-shaped designs



NO CLAIMS WILL BE CONSIDERED related to air bubbles











BROWN PAPER

Colorant



