



A product by
ACE MICA
Decorative Laminates
THE SPACE CHANGER
www.acemica.com




MARQUISE
COLLECTION


BROWN PAPER
DECORATIVE LAMINATES

VOLUME - IV

www.acemica.com

**STORIES
HIDDEN IN
EVERY GRAIN**


MARQUISE
COLLECTION


BROWN PAPER
DECORATIVE LAMINATES




MARQUISE

COLLECTION

ABOUT US

Ace Mica is one of the leading manufacturers of high pressure laminates in india, we have been successfully catering to the specific requirements of our clients with Gloss, Matt, Suede & Texture in our range of extraordinary laminates. We have a team of dedicates and qualified professionals who ensure the best of the quality and also are responsible for developing the new range of products that keep us ahead in the market.

Being a trendsetter in the laminate industry, we now introduce a new and exclusive collection of wooden finishes and abstract designs. Marquise collection is bound to create an impression and strive a perfect cord for your interiors.



Certified Excellence



The Indian Green Building Council (IGBC), part of the Confederation of Indian Industry (CII) was formed in the year 2001. The vision of the council is, "To enable a sustainably built environment for all and facilitate India to be one of the global leaders in the sustainably built environment by 2025"



ISO 9001:2015 is an international standard related to quality management system, applicable to any organization from all types of business sectors and activities. ISO 9001:2015 is based on eight management principles (all fundamental to good business practice). When fully adopted, these principles can help improve your organizational performance.



BIS is the National Standard Body of India established under the BIS Act 1986 for the harmonious development of the activities of standardization, marking and quality certification of goods and for matters connected therewith or incidental thereto. BIS has been providing traceability and tangibility benefits to the national economy in a number of ways - providing safe reliable quality goods; minimizing health hazards to consumers; promoting exports and imports substitute; control over proliferation of varieties etc. through standardization, certification and testing.



The UL GREENGUARD Certification Program requires that products undergo independent, scientific testing and ongoing monitoring of their chemical emissions.[1] Only products that meet UL Environment's stringent emissions standards qualify for certification. These standards are based on established criteria from key public health agencies.

CATEGORY



Discover the timeless charm of our Wood Collection, where natural warmth meets modern durability. With authentic textures and rich earthy tones, it brings effortless elegance to both contemporary and classic spaces.

01 CATEGORY
WOOD

Experience the bold sophistication of our Stone Collection, inspired by natural textures and strength. With rich tones and refined detailing, it adds depth and timeless elegance to modern spaces.

03 CATEGORY
STONE

02 CATEGORY
ABSTRACT

Add a touch of creativity with our Abstract Collection—artistic patterns and modern textures that bring unique style and dynamic energy to any space.

04 CATEGORY
SOLID

Elevate your interiors with our Solid Collection—sleek, modern shades that bring warmth, harmony, and lasting durability to any space.












Anti Fingerprint
 Thermal Healing Technology
 High Abrasion Resistance (5N)


nano
Matte



Nano Matte surfaces feature an ultra-matte finish with advanced anti-fingerprint technology and Thermal Healing Technology. Minor scratches on the surface can self-repair when exposed to heat, helping maintain a flawless look over time. They reduce light reflection and resist smudges and marks, keeping surfaces clean and elegant with minimal maintenance. Designed for modern interiors, they offer durability with a smooth, premium touch.

Other Features

 Thermal Healing Technology	 High Moisture Resistance	 Easy To Clean & Maintain	 High Impact Resistance
 High Abrasion Resistance (5N)	 Anti Bacterial & Anti Fungal	 Stain Resistance	 Safe For Food Contact

Thermal Healing Technology


- 
Satin Smooth Touch and Haute Matte
 The smooth premium texture adds a subtle yet captivating charm to every space.
- 
Fingerprint Resistant
 Designed to minimize fingerprints and grease marks, keeping surfaces clean and refined.

- 
High Scratch Resistance
 Engineered to resist scratches Upto 5N, these surfaces maintain their refined look for years to come.
- 
Easy Clean
 Minor surface micro-scratches can be gently removed using a wet cotton cloth or melamine foam.

SCAN QR TO CHECK HOW THERMAL HEALING TECHNOLOGY WORKS




ER 8056 SMT PR Classic Cedar




ER 1541 SMT PR Italian Beech Light




ER 1542 SMT PR Italian Beech Dark




Thermal Healing Technology




High Scratch Resistance




Anti fingerprint



ER BR 4133 SMT PR
White Lily



ER 4702 SMT PR
Beige Mist



ER 4142 SMT PR
Cappuccino



ER 8090 SMT PR
Nutmeg




ER 4505 SMT PR
Dove Brown




ER 4154 SMT PR
Pebble Grey




ER 4051 SMT PR
Jet Black



ER 8114 SMT PR
Earth White



ER 8115 SMT PR
Pale Sage Green



ER 4727 SMT PR
Natural Cream



ER 8407 SMT PR
Almond Cream



ER 8404 SMT PR
Royal Merlot

A perfect balance of elegance and durability, designed to elevate modern living spaces.



nano
Matte



Anti Fingerprint
Thermal Healing Technology
High Abrasion Resistance (5N)



ER 1490 SMT PR
Satvario Daino



ER 1520 SMT PR
Tremble Marble



ER 1521 SMT PR
Stagger Marble





CATEGORY
WOOD



Discover the timeless charm of our Wood Category, where natural warmth meets modern durability. Crafted to reflect authentic wood textures and rich earthy tones, our collection brings elegance and comfort to every space. Perfect for contemporary and classic interiors alike, these designs create a refined foundation for inspired living.





© W4115 VNR



W1081 ZO
Apex Leaved Elm



Design can be art. Design can be aesthetics.
Design is so simple, that's why it is so complicated.



W2499 ZO
Almond Birch



W1281 VNR
Rhine Pearwood



W2399 RW
Alpine Wood



W4115 VNR
Italian Beech Light



Bad design is smoke,
while good design is a mirror.



W2915 VNR
Densen Fall Oak



W0818 VNR
Negal Ashwood



W0095 VNR
Glaston Walnut



W9614 RW
Fresco Pine



W1099 DZO
Sabah Oak



W4815 VNR
Linenwood





W6153 DZO
Luma Oak



W1210 ZO
Riva Mille



W7198 VNR
Grainix Oak



W6298 VNR
Sunridge Oak





W7793 DZO
Canyon Light



W9613 VNR
Canyon Light



W3015 VNR
Dablam Fall Oak





W3718 ZO
Alpine Sand Oak



© W1653 RW



W1653 RW
Natural Pine Wood





W6653 ZO
Royal Line Oak



W0781 VNR
Classic Ashwood



The most important part of design is finding all the issues to be resolved. The rest are details.



W6453 ZO
Toscana Husk



W6553 ZO
Majestique Walnut





W4053 CW
Cambridge Oak




W1199 DZO
Pennisular Acacia



W2415 GW
Misty Pike Oak



W1381 VNR
Havel Pearwood



W4615 ZO
Bravella Oak





W6616 ZO
Canton Oak



W1310 ZO
Riva Kamet



W4215 VNR
Italian Beech Dark



Design is the application of intent - the opposite of
happenstance, and an antidote to accident.



W5680 VNR
Classic Cedar



W4715 ZO
Sienna Ash





W0510 ZO
Dalton Wood



W2699 VNR
AuroTeak



W0195 VNR
Titter Walnut



W9752 ZO
Tigress Oak



W2497 VNR
Tropical Omto Maple





W3053 VNR
Terrawood Classic



W4315 ZO
Acacia Wood



W3818 ZO
Timber Nova



W2299 RW
Timberra Core



W6816 MZ
Majestic Oak





W7893 DZO
Canyon Brown



W2815 ZO
Titter Walnut



W0081 VNR
Russel Gris



W1515 SMT
Misti Wood





W1699 VNR
Tauvex Line



W2599 DZO
Brunex Wood



W6353 VNR
Velmora Wood



W4398 VNR
Arveno Walnut





W7414 RW
Sapped Walnut



W9980 ZO
Alhambra



W0181 MZ
Magas Walnut Mystique



W3480 MZ
Natural Delight



W2952 NT
Regal Brownwood



Only when the design fails does it draw attention to itself; when it succeeds, it's invisible.



W9780 VNR
Smoked Binca Pecan



W6198 ZO
Icewood Ash



W3415 SMT
Tundra Forest



W9114 VNR
Recon Oak Mist



W1698 ZO
Ashvera Grey



W4453 VNR
Urban Wood



W5993 DZO
Laurel Oak wind





W9414 VNR
Desert Fossil



W8514 VNR
Rearwood Snow



W1157 VNR
Calmwood



W6821 VNR
Pebble Wood



W5598 VNR
Arctic Grain



W2953 DZO
Blonde Base





W9514 VNR
Midnight Fossil




W9616 SMT
Lynx Wood



W9214 VNR
Recon Oak Grey



W3153 VNR
Smoked Ash



W4698 MZ
Persian Walnut



The client may be king, but
he's not the art director.



W9814 RW
Naturele Ash Wood



W5352 VNR
Straight Wood



W1181 ZO
Narrow Leaved Elm



W3615 VNR
Siberian Pine



W8614 VNR
Rearwood Sand





W9852 ZO
Salano Oak



W3515 SMT
Sorrel Forest



W6093 DZO
Laurel Oak Wave



W2898 AW
Smokira Oak



W9698 RW
Lino Smoke



W1715 VNR
Mocha Walnut



W9880 VNR
Smoked Brosse Pecan



You can't do better design with a computer,
but you can speed up your work enormously.



W6193 DZO
Laurel Oak wind



W7993 DZO
Pista Dyed Veneer



W8093 DZO
Nutmeg Dyed Veneer




W8193 DZO
Peach Dyed Veneer



P4154 SMT
Pebble Grey



P4145 SMT
Pista Grey



P8090 SMT
Nutmeg



P8091 SMT
Peach Brown






CATEGORY
ABSTRACT / STONE




MARQUISE
COLLECTION

Experience the bold sophistication of our Stone Category, inspired by nature's strength and texture. With rich mineral tones and refined surface detailing, this collection adds depth and character to modern interiors. Designed for durability and timeless appeal, it transforms everyday spaces into statements of solid elegance.





A2581 SMT
Woody Mosaic Light



A2881 SMT
Woody Mosaic Dark



A2681 VNR
Woven Linen Light




A2781 VNR
Woven Linen Dark



Great things are not done by impulse,
but a series of small things brought together.



A4915 VNR
Softgrain Maple



A5015 VNR
Rosewood Linen



A2715 VNR
Chevron Teak Natural



A2615 VNR
Chevron Teak Grey





© S9014 SMT

S9014 SMT
Satvário Daino



S2015 CO
Tremble Marble



S2115 CO
Stagger Marble



S8014 VNR
Concrete



S8114 VNR
Aged Concrete



CATEGORY
SOLID

Elevate your interiors with the refined simplicity of our Solid Category. Carefully curated shades create a sleek and modern look while maintaining a sense of warmth and harmony. Ideal for versatile spaces that demand both style and durability.





Style is a way to say
who you are without
having to speak.





A 225 1 mm 8x4



A 224 1 mm 8x4



A 217 1 mm 8x4



A 214 1.25 mm 8x4



A 213 1 mm 8x4



A 211 1.25 mm 8x4



A 208 1 mm 8x4



A 207 1.25 mm 8x4



A 206 1.25 mm 8x4



A 204 1 mm 8x4



A 202 1 mm 8x4



A 200 1.25 mm 8x4



A 199 1.25 mm 8x4



A 198 8x4 / 10X4



A 197 1 mm 8x4



A 194 1 mm 8x4



A 193 1 mm 8x4



A 192 1 mm 8x4



A 175 1 mm 8x4



A 14 8x4 / 10X4



A 118 8x4 / 10X4



A 155 8x4 / 10X4



A 174 1 mm 8x4



A 195 1 mm 8x4

Note: More than 200 Textures are available, for more customized options contact us!

SR. NO.	DESIGN NO.	FINISH	PG. NO.	SR. NO.	DESIGN NO.	FINISH	PG. NO.	SR. NO.	DESIGN NO.	FINISH	PG. NO.	SR. NO.	DESIGN NO.	FINISH	PG. NO.
1	W0081	VNR	28	45	W2952	NT	32	89	ER 4505	SMT	3	133	P8090	SMT	43
2	W0095	VNR	9	46	W2953	DZO	36	90	4505	SMT	54	134	P8091	SMT	44
3	W0181	MZ	32	47	W3015	VNR	14	91	4512	SMT	54	135	8092	SMT	54
4	W0195	VNR	23	48	W3053	VNR	25	92	W4615	ZO	20	136	W8093	DZO	43
5	W0510	ZO	23	49	W3153	VNR	38	93	W4698	MZ	38	137	8093	SMT	54
6	W0781	VNR	17	50	W3415	SMT	33	94	ER 4702	SMT	3	138	8094	SMT	54
7	W0818	VNR	9	51	W3480	MZ	32	95	4702	SMT	53	139	8095	SMT	54
8	W1081	ZO	7	52	W3515	SMT	41	96	W4715	ZO	22	140	ER 8114	SMT	3
9	W1099	DZO	10	53	W3615	VNR	40	97	ER 4727	SMT	3	141	8114	SMT	53
10	W1157	VNR	35	54	W3718	ZO	15	98	4728	SMT	53	142	S8114	VNR	50
11	W1181	ZO	39	55	W3818	ZO	25	99	4734	SMT	53	143	ER 8115	SMT	3
12	W1199	DZO	19	56	BR 4003	SMT	53	100	4735	SMT	53	144	8115	SMT	54
13	W1210	ZO	11	57	4006	SMT	53	101	4736	SMT	53	145	8116	SMT	54
14	W1281	VNR	8	58	ER 4051	SMT	3	102	4738	SMT	54	146	8117	SMT	54
15	W1310	ZO	21	59	4051	SMT	53	103	4739	SMT	53	147	8118	SMT	54
16	W1381	VNR	20	60	W4053	CW	19	104	4742	SMT	53	148	8119	SMT	54
17	ER 1490	SMT	4	61	W4115	VNR	8	105	W4815	VNR	10	149	W8193	DZO	44
18	W1515	SMT	28	62	4122	SMT	53	106	A4915	VNR	48	150	8401	SMT	53
19	ER 1520	SMT	4	63	BR ER 4133	SMT	3	107	A5015	VNR	48	151	8402	SMT	53
20	ER 1521	SMT	4	64	BR 4133	SMT	53	108	W5352	VNR	39	152	8403	SMT	53
21	ER 1541	SMT	2	65	4136	SMT	53	109	W5598	VNR	36	153	ER 8404	SMT	3
22	ER 1542	SMT	2	66	4137	SMT	53	110	W5680	VNR	22	154	8404	SMT	54
23	W1653	RW	16	67	4138	SMT	53	111	W5993	DZO	34	155	8405	SMT	54
24	W1698	ZO	34	68	4139	SMT	53	112	W6093	DZO	41	156	8406	SMT	54
25	W1699	VNR	29	69	ER 4142	SMT	3	113	W6153	DZO	11	157	ER 8407	SMT	3
26	W1715	VNR	42	70	P4145	SMT	43	114	W6193	DZO	43	158	8407	SMT	53
27	S2015	CO	50	71	4146	SMT	54	115	W6198	ZO	33	159	8408	SMT	54
28	S2115	CO	50	72	4153	SMT	53	116	W6298	VNR	12	160	W8514	VNR	35
29	W2299	RW	26	73	ER 4154	SMT	3	117	W6353	VNR	30	161	W8614	VNR	40
30	W2399	RW	8	74	P4154	SMT	43	118	W6453	ZO	18	162	S9014	SMT	49
31	W2415	GW	20	75	4154	SMT	53	119	W6553	ZO	18	163	W9114	VNR	34
32	W2497	VNR	24	76	4156	SMT	53	120	W6616	ZO	21	164	W9214	VNR	37
33	W2499	ZO	8	77	4158	SMT	54	121	W6653	ZO	17	165	W9414	VNR	35
34	A2581	SMT	47	78	4161	SMT	54	122	W6816	MZ	26	166	W9514	VNR	37
35	W2599	DZO	29	79	4163	SMT	53	123	W6821	VNR	36	167	W9613	VNR	13
36	S2615	VNR	48	80	4164	SMT	53	124	W7198	VNR	12	168	W9614	RW	10
37	A2681	VNR	47	81	4165	SMT	53	125	W7414	RW	31	169	W9616	SMT	37
38	W2699	VNR	23	82	4166	SMT	53	126	W7793	DZO	13	170	W9698	RW	42
39	A2715	VNR	48	83	4167	SMT	53	127	W7893	DZO	27	171	W9752	ZO	24
40	A2781	VNR	47	84	4168	SMT	53	128	W7993	DZO	43	172	W9780	VNR	33
41	W2815	ZO	27	85	W4215	VNR	21	129	S8014	VNR	50	173	W9814	RW	39
42	A2881	SMT	47	86	W4315	ZO	25	130	ER 8056	SMT	2	174	W9852	ZO	41
43	W2898	VNR	42	87	W4398	VNR	30	131	8089	SMT	54	175	W9880	VNR	42
44	W2915	VNR	9	88	W4453	VNR	34	132	ER 8090	SMT	3	176	W9980	ZO	31

Conforms to EN 438-3:2016 Standards				
Characteristics	Test Standard	Units	Specified Value	HGS & HGF (FR) Acemica HPL Values
Physical & Dimensional Properties				
Nominal Thickness		mm	As claimed by supplier	0.8
Thickness tolerance	EN 438-2-5	mm	±0.10	0.76 to 0.80
Density	EN ISO 1183-1	gms/cm3	1.35 Min	1.38 to 1.40
Length & Width tolerance	EN 438-2-6	mm	0	0
Straightness of edges	EN 438-2-7	mm/m	≤1.5 deviation	≤1.5
Squareness of edges	EN 438-2-8	mm/m	≤1.5 deviation	≤1.5
Flatness	EN 438-2-9	mm/m	≤60 deviation	≤50
Dimensional Stability at High temperature	Longitudinal Transverse EN 438-2-17	%		≤0.35 ≤0.55
Resistance to Boiling water	EN 438-2-12	Rating	4 Min	4
Mechanical Properties				
Resistance to Cracking	EN 438-2-23	Rating	4 Min	4
Impact Resistance •small Diameter Ball •Large Diameter Ball (drop height for ≤10mm imprint)	EN 438-2-20 EN 438-2-21	N mm	20 Min ≥800	25 1000
Minimum Bending Radius (Convex & Concave)		cm		20
Surface Properties				
Surface Defects	Spot defects Linear defects	EN 438-2-4	mm ² /m ² mm/m ²	≤1 ≤10 Conforms ≤10
Resistance to surface wear (initial point)	EN 438-2-10	No. of resolutions	150 Min	200
Resistance to Steam	EN 438-2-14	Rating	4 Min	5
Dry heat resistance (160 Degree C)	EN 438-2-16	Rating	4 Min	5
Scratch Resistant	EN 438-2-25	N	2.0 Min	3
Stain Resistant	Group - 1 & 2 Group - 3	EN 438-2-26	Rating	5 Min 4 Min 5
Light fastness under artificial light, Grey Scale	EN 438-2-27	Rating	4 to 5	4 to 5
Post forming Properties (post forming HPL only)				
Minimum post forming radius	EN 438-2-31 or 32	mm	7	NA
Blistering Resistance	EN 438-2-32 or 33	seconds	10	NA
Fire Performance				
Reaction to Fire	EN 13501-1	Class	-	Bs1 d0 for FR & Cs1 d0 for GS
Thermal Conductivity	EN 12524	W/m K		0.24
Health and Environmental Characteristics				
Food safe	EN 13130-1			YES
Formaldehyde emission (release)	EN 717-1/UL 2818	Class	-	E 1/7.3ppb
Volatile Organic Compounds (VOC) Emission	ISO 16000-9	Class	-	A
Antibacterial Properties	JIS Z 2801	Reduction in %	99.99 Min	> 99.99


Available Sizes: 910MM X 2100MM (3'X7') Matt, 990MM X 2100MM (3.25'X7') Matt, 1220MM X 2440MM (4'X8'), 1220MM X 3050MM (4'X10'), 1300MM X 3050MM (4.25'X10') in selected texture.

Grades & Thickness: 0.50MM to 25MM

Surface Resistance: Artificial Perspiration, Citric Acid Solution, Coffee, Cooking Fat, Gasoline, Ink, Rectified Spirit, Kerosene, Milk, Sodium Hydroxide Solution, Tea, Wax Crayon

Disclaimer: Prices vary based on type, finish, thickness, size, and color. Consult our branches/dealers before quoting. Regular customers will be notified of discontinued items in advance. The company is not liable for supply disruptions.

WARRANTY
Ace Mica Pvt. Ltd. guarantees that, under normal use, its products meet the standards specified in the relevant technical data sheet. Dealers and distributors receive a technical data sheet outlining product performance standards. The company's liability is limited to repairing or replacing defective products at its sole discretion. This warranty does not cover defects or damage caused by accidents, misuse, extreme temperatures, direct sunlight, improper installation, or maintenance. No other warranties, express or implied, are made. The manufacturer is not liable for any loss, damage, or special, indirect, incidental, or consequential damages related to the product. No fabricator, installer, dealer, or employee of Ace Mica Pvt. Ltd. is authorized to alter this warranty's terms.



Offices

Restaurant

Kitchen Countertops

Wall Cladding
Wall Paneling

Furniture
Makeover

Keep out of strong sunlight

Crafted for interior use only

Carpenter friendly easy to use