



www.acemica.com





The
Right Color and Texture can turn any space into a
masterpiece of balance and style



GET STARTED

Ready to explore the possibilities?

Dive into our catalogue and discover the perfect combination of laminates and edge bands to bring your vision to life. Whether you're an architect, designer, or homeowner, our collection offers the perfect solutions to bring your vision to life.

At Acemica, we are passionate about delivering premium quality laminate surfaces with matching edge bands. Our latest collection embodies this passion, offering a diverse selection of laminate surfaces and precisely matched edge bands that create a harmonious and refined look for any interior.



APPLICATIONS EDGE BANDING



Furniture
Manufacturing



Retail
Displays



Kitchen
Cabinets



Countertops and
Work Surfaces



Office Desks
and Tables



Doors and
Drawer Fronts



Shelving



Interior Panels
and Partitions

Edge banding is a finishing process used to cover the exposed edges of materials like plywood, particleboard, or MDF, giving them a polished and durable look.



PRODUCT SPECIFICATIONS & PERFORMANCE DETAILS

- PVC sealing edge strip that offers superior resistance to heat, chemicals, and abrasion. Designed to deliver a realistic three-dimensional effect for wood grains, textiles, and other patterns.
- Its trim edges remain smooth and free from whitening, and the product is easy to apply.
- Made from environmentally friendly and safe materials, ensuring high standards of quality and safety.
- With excellent UV adhesion, superior scratch resistance, and good elasticity, it resists deformation and bends without whitening.
- Its also offers robust UV protection and anti-yellowing properties.
- The high PVC content guarantees the best base material quality, ensuring a non-whitening finish after trimming, and maintaining its appearance over time.
- Edge Band : Size 22mm | Thickness 0.8mm



Chemical
Free




Abrasion
Resistance



Color
Stability



Metal
Free



Urea
Free



Lead
Free



Low Chemical
Emissions



Low Chemical
Emissions



MATCHBAND
PAIR UP WITH PERFECTION

Acemica's Matchband specializes in providing matching edge band solutions, expertly designed to align with a variety of surfaces. This collection combines aesthetics and durability, delivering a flawless finish for furniture.

Made from high-quality PVC, the edge strip offers precise surface matching, protecting substrate edges while enhancing the overall appearance. It features excellent scratch resistance, UV stability, and anti-yellowing properties. Easy to machine with standard tools, **Matchband** is available in multiple finishes, making it a versatile choice for professional furniture manufacturers




The Story of Seamless Style

In a bustling design studio, every detail counts. The team is crafting a sleek, modern kitchen, flawless except for one small detail, exposed edges that disrupt the clean, minimalistic look.

Enter PVC edge banding. As it's applied to the raw edges, the transformation is instant. The cabinetry now feels complete, with a seamless transition from surface to edge. More than just aesthetics, the banding adds durability, protecting against wear and tear.

With this simple yet powerful tool, the design team achieves perfection. From bold colors to subtle wood tones, PVC edge banding is the final touch that completes every space.



leather

linen



plain
color



wood


By 
BROWN PAPER
DECORATIVE LAMINATES

LEATHER




MATCHBAND

PAIR UP WITH PERFECTION




3P White Lily
4729 A-197 Size : 4'x8' EB 4729 A-197




3P Off White
4700 A-197 Size : 4'x8' EB 4700 A-197

LINEN




3P White Lily
4729 A-123 Size : 4'x8' EB 4729 A-123



3P Off White
4700 A-123 Size : 4'x8' EB 4700 A-123

LEATHER




3P Beige
4151 A-197 Size : 4'x8' EB 4151 A-197




3P Cappuccino
4142 A-197 Size : 4'x8' EB 4142 A-197

LINEN




3P Beige
4151 A-123 Size : 4'x8' EB 4151 A-123



3P Cappuccino
4142 A-123 Size : 4'x8' EB 4142 A-123



LEATHER



3P Oyster
4735 A-197

Size : 4'x8' EB 4735 A-197


MATCHBAND
PAIR UP WITH PERFECTION



3P Desert Tan
4704 A-197


Size : 4'x8' EB 4704 A-197

LINEN



3P Oyster
4735 A-123

Size : 4'x8' EB 4735 A-123



3P Desert Tan
4704 A-123

Size : 4'x8' EB 4704 A-123

LEATHER

This furniture features a **leather finish** laminate. Paired with a matching edge band, the design achieves a seamless look while protecting the panel's edges from wear and tear. Together, the leather finish laminate and edge band create a sophisticated yet practical solution for modern interiors, blending style with functionality.




Edge Band
Desert Tan | 4704 A-197


Laminate
Desert Tan | 4704 A-197

LEATHER

MATCHBAND
PAIR UP WITH PERFECTION




3P Light Grey
4139 A-197 Size : 4'x8' EB 4139 A-197




3P Dark Grey
4741 A-197 Size : 4'x8' EB 4741 A-197

LINEN





3P Light Grey
4139 A-123 Size : 4'x8' EB 4139 A-123




3P Dark Grey
4741 A-123 Size : 4'x8' EB 4741 A-123


PLAIN COLORS




1P White Lily
4729 SF Size : 4'x8' | 4'x10'* EB 4729 SF



1P Off White
4700 SF Size : 4'x8' | 4'x10'* EB 4700 SF



1P Desert Tan
4704 SF Size : 4'x8' | 4'x10'* EB 4704 SF




1P Cappuccino
4142 SF Size : 4'x8' | 4'x10'* EB 4142 SF

*Minimum order quantity required



PLAIN COLORS




1P Oyster
4735 SF

Size : 4'x8' | 4'x10'* EB 4735 SF




1P Beige
4151 SF

Size : 4'x8' | 4'x10'* EB 4151 SF



1P Light Grey
4139 SF

Size : 4'x8' | 4'x10'* EB 4139 SF



1P Dark Grey
4741 SF

Size : 4'x8' | 4'x10'* EB 4741 SF

*Minimum order quantity required

WOOD



EB 5254 SF

1P Douglas Fresco
5254 SF

Size : 4'x8' | 4'x10'*



EB 5252 SF **1P** Persian Fresco
5252 SF

Size : 4'x8' | 4'x10'*

*Minimum order quantity required


MATCHBAND
PAIR UP WITH PERFECTION



Enhance your drawers with PVC edge banding to shield surfaces from scratches, moisture, and daily wear, ensuring your furniture lasts longer and stays protected.



Persian Fresco
5252 SF



EB 5329 SF



1P Northland Wood
5329 SF

Size : 4'x8' | 4'x10'*

*Minimum order quantity required

WOOD



EB 5124 SF



EB 5125 SF

1P Persian Noce
5124 SF

Size : 4'x8' | 4'x10'*

1P Brown Noce
5125 SF

Size : 4'x8' | 4'x10'*

*Minimum order quantity required

MATCHBAND
PAIR UP WITH PERFECTION



EB 1532 SF



EB 9243 SF



2P Siam Teak
1532 SF

Size : 4'x8' | 4'x10'*

2P Original Teak
9243 SF

Size : 4'x8' | 4'x10'*


*Minimum order quantity required

WOOD

MATCHBAND
PAIR UP WITH PERFECTION



EB 5184 SF



EB 5183 SF




1P Erode Smoked Chevron
5184 SF Size : 4'x8' | 4'x10'*

1P Grey Oak
5183 SF Size : 4'x8' | 4'x10'*

*Minimum order quantity required


FABRIC



EB BR 5192 SF



EB 5192 SF



1P Natural Linen
BR 5192 SF Size : 4'x8' | 4'x10'* Natural Linen
5192 SF Size : 4'x8' | 4'x10'*


*Minimum order quantity required

F A B R I C



MATCHBAND

PAIR UP WITH PERFECTION



EB 5081 SF




EB 5087 SF

White Cambric
5087 SF



EB 5146 SF



COMING
SOON

Pitch Linen
5081 SF

Size : 4'x8' | 4'x10'*

Size : 4'x8' | 4'x10'*

Orgafeel Rustic
5146 SF

Size : 4'x8' | 4'x10'*

*Minimum order quantity required

*Minimum order quantity required

INDEX

SR. No.	DESIGN No.		FINISH	PAGE NO.
	LAMINATE	EDGE BAND		
1	1532	EB 1532	SF	16
2	4139	EB 4139	A-123	9
3	4139	EB 4139	A-197	9
4	4139	EB 4139	SF	12
5	4142	EB 4142	A-123	6
6	4142	EB 4142	A-197	6
7	4142	EB 4142	SF	10
8	4151	EB 4151	A-123	6
9	4151	EB 4151	A-197	6
10	4151	EB 4151	SF	12
11	4700	EB 4700	SF	10
12	4700	EB 4700	A-123	5
13	4700	EB 4700	A-197	5
14	4704	EB 4704	A-123	7
15	4704	EB 4704	A-197	7
16	4704	EB 4704	SF	10
17	4729	EB 4729	SF	10
18	4729	EB 4729	A-123	5
19	4729	EB 4729	A-197	5

SR. No.	DESIGN No.		FINISH	PAGE NO.
	LAMINATE	EDGE BAND		
20	4735	EB 4735	A-123	7
21	4735	EB 4735	A-197	7
22	4735	EB 4735	SF	12
23	4741	EB 4741	A-123	9
24	4741	EB 4741	A-197	9
25	4741	EB 4741	SF	12
26	5081	EB 5081	SF	19
27	5087	EB 5087	SF	19
28	5124	EB 5124	SF	15
29	5125	EB 5125	SF	15
30	5146	EB 5146	SF	20
31	5183	EB 5183	SF	17
32	5184	EB 5184	SF	17
33	BR 5192	EB BR 5192	SF	18
34	5192	EB 5192	SF	18
35	5252	EB 5252	SF	13
36	5254	EB 5254	SF	13
37	5329	EB 5329	SF	14
38	9243	EB 9243	SF	16

TECHNICAL & OTHER DATA

Conforms to EN 438-3:2016 Standards				
Characteristics	Test Standard	Units	Specified Value	HGS & HGF (FR) Acemica HPL Values
Physical & Dimensional Properties				
Nominal Thickness		mm	As claimed by supplier	0.8
Thickness tolerance	EN 438-2-5	mm	±0.10	0.76 to 0.80
Density	EN ISO 1183-1	gms/cm3	1.35 Min	1.38 to 1.40
Length & Width tolerance	EN 438-2-6	mm	0	0
Straightness of edges	EN 438-2-7	mm/m	≤1.5 deviation	≤1.5
Squareness of edges	EN 438-2-8	mm/m	≤1.5 deviation	≤1.5
Flatness	EN 438-2-9	mm/m	≤60 deviation	≤50
Dimensional Stability at Stability at High temperatur	EN 438-2-17	%		≤0.35
Longitudinal Transverse				≤0.55
Resistance to Boiling water	EN 438-2-12	Rating	4 Min	4
Mechanical Properties				
Resistance to Cracking	EN 438-2-23	Rating	4 Min	4
Impact Resistance	EN 438-2-20 EN 438-2-21	N mm	20 Min ≥800	25 1000
•small Diameter Ball				
•Large Diameter Ball (drop height for ≤10mm imprint)				
Minimum Bending Radius (Convex & Concave)		cm		20
Surface Properties				
Surface Defects	EN 438-2-4	mm2/m2 mm/m2	≤1 ≤10	Conforms ≤10
Spot defects Linear defects				
Resistance to surface wear (initial point)	EN 438-2-10	No. of resolutions	150 Min	200
Resistance to Steam	EN 438-2-14	Rating	4 Min	5
Dry heat resistance (160 Degree C)	EN 438-2-16	Rating	4 Min	5
Scratch Resistant	EN 438-2-25	N	2.0 Min	3
Stain Resistant	EN 438-2-26	Rating	5 Min 4 Min	5 5
Group - 1 & 2 Group - 3				
Light fastness under artificial light, Grey Scale	EN 438-2-27	Rating	4 to 5	4 to 5
Post forming Properties (post forming HPL only)				
Minimum post forming radius	EN 438-2-31 or 32	mm	7	NA
Blistering Resistance	EN 438-2-32 or 33	seconds	10	NA
Fire Performance				
Reaction to Fire	EN 13501-1	Class	-	Bs1 d0 for FR & Cs1 d0 for GS
Thermal Conductivity	EN 12524	W/m K		0.24
Health and Environmental Characteristics				
Food safe	EN 13130-1			YES
Formaldehyde emission (release)	EN 717-1/UL 2818	Class	-	E 1/7.3ppb
Volatile Organic Compounds (VOC) Emission	ISO 16000-9	Class	-	A
Antibacterial Properties	JIS Z 2801	Reduction in %	99.99 Min	> 99.99



Keep out of strong sunlight



Crafted for interior use only



Carpenter friendly easy to use



MATCHBAND

PAIR UP WITH PERFECTION

Available Sizes SF 1220MM X 2440MM (4'x8'), 1220MM X 3050MM (4'X10'), A-197, A-123 1220MM X 2440MM (4'x8').

Grades & Thickness 0.8 mm Surface Resistance Artificial Perspiration, Citric Acid Solution, Coffee, Cooking Fat, Gasoline, ink, Rectified Spirit, Kerosene, Milk, Sodium Hydroxide Solution, Tea, Wax Crayon

Disclaimer Prices vary based on type, finish, thickness, size, and color. Consult our branches/dealers before quoting. Regular customers will be notified of discontinued items in advance. The company is not liable for supply disruptions.

WARRANTY

Ace Mica Pvt. Ltd. guarantees that, under normal use, its products meet the standards specified in the relevant technical data sheet.

Dealers and distributors receive a technical data sheet outlining product performance standards.


The company's liability is limited to repairing or replacing defective products at its sole discretion.

This warranty does not cover defects or damage caused by accidents, misuse, extreme temperatures, direct sunlight, improper installation, or maintenance.

No other warranties, express or implied, are made.

The manufacturer is not liable for any loss, damage, or special, indirect, incidental, or consequential damages related to the product.

No fabricator, installer, dealer, or employee of Ace Mica Pvt. Ltd. is authorized to alter this warranty's terms.



NO CLAIMS WILL BE CONSIDERED for cracking resulting from groove cutting for L-shaped designs



NO CLAIMS WILL BE CONSIDERED related to air bubbles